

## 1/3" Sony CCD and DSP IR Bullet Camera



### Key Features:

- Weather-Proof IR Bullet Camera
- CCD: 1/3" SONY CCD
- DSP: SONY DSP
- Resolution: 650TVL
- Lens: 4-9mm varifocal lens
- IR LEDs: 36pcs of  $\phi$  5mm IR LEDs
- Nigh Vision: 30m night vision

### Advantage Features:

- Low Board Consumption Design: 70mA
- Mainboard: Super Wide Voltage 8-18V

Model No.	IRT 6500
Image Sensor	1/3" SONY SUPER HAD CCD
Digital Singnal Processor	SONY DSP
Signal System	PAL/NTSC
Style:	Weather-proof IR Bullet Camera
Weather Resistant:	Yes (IP66)
Vandal Resistant:	Yes
Scanning System	2:1 Interlace
Scanning Frequency(H)	NTSC:15.734KHZ , PAL:15.625KHZ
Sync. System	Internal
Horizontal System	650TVL
Effective Pixels (HxV)	PAL:796X582
	NTSC:794X494
Shuttle Speed	PAL=1/50 ~1/100,000 sec; NTSC=1/60 ~1/100,000 sec
Mini Illumination	0.01 Lux
S/N Ratio	> 50dB (Auto Gain Off)
Gamma	0.45
White Balance	Auto
Lens	4-9mm / 2.8-12mm (Optional)
Focus Mode	Auto
Video Output	1.0V P-P,75 $\Omega$
Input/Output Connector	Power:2 Pin Terminal/ RS-485:2 Pin Circle Connector/Video Output:1 BNC Connector
Operating Voltage	Super Wide Voltage (8V~18V)
CCD board Consumption	70mA
Operating Temperature	-10 ~ 40 $^{\circ}$ C (relative humidity:the most 95%)
Dimention	151x86mm
Audio Output:	N/A
Power Input:	DC Socket